

TITLE
CUCOMP.12,000-8000

DRAWN BY **J. Ellison** DATE **17/06/2022**

CUSTOMER **CUSTOMER**

NOTE:
 All tanks must be fully supported on a flat level & continuous foundation providing structural support to the tank when full to maximum operating capacity. It is essential that the user refers to the conditions of installation document prior to the installation of the tank. Under no circumstances should the tank body be used to provide support to pipework and ancillary items. The tank lid is a structural part of the tank and must be in place and fitted correctly when water is contained within the tank.

ALL DIMENSIONS +/- 5mm UNLESS OTHERWISE STATED

DESCRIPTION:
CUCOMP.12,000-8000.AG Airgap Combination Unit

A4

ALL DIMENSIONS IN MM - DO NOT SCALE


DATE	VERSION	NOTES
10/03/2022	A	FIRST ISSUE

TANK SPECIFICATION :

WET COMPARTMENT	2000 x 2000 x 2000mm
DRY COMPARTMENT	1000 x 2000 x 2000mm
EXTERNAL DIMENSIONS	3192 x 2192 x 2118mm
NOMINAL CAPACITY	8000 Litres
INSULATION THICKNESS	25mm
MATERIAL	GRP

TANKS DIRECT

SCALE:1:40 SHEET 1 OF 2



TITLE
**CUCOMP.12,000-8000
 c/w skid**

DRAWN BY **J. Ellison** DATE **17/06/2022**
 CUSTOMER **CUSTOMER**

NOTE:
 All tanks must be fully supported on a flat level & continuous foundation providing structural support to the tank when full to maximum operating capacity. It is essential that the user refers to the conditions of installation document prior to the installation of the tank. Under no circumstances should the tank body be used to provide support to pipework and ancillary items. The tank lid is a structural part of the tank and must be in place and fitted correctly when water is contained within the tank.

ALL DIMENSIONS +/- 5mm
 UNLESS OTHERWISE STATED

DESCRIPTION:
**CUCOMP.12,000-8000.AG Airgap Combination
 Unit c/w steel skid**

A4

ALL DIMENSIONS IN MM - DO NOT SCALE

DATE	VERSION	NOTES
10/03/2022	A	FIRST ISSUE

TANK SPECIFICATION :

WET COMPARTMENT	2000 x 2000 x 2000mm
DRY COMPARTMENT	1000 x 2000 x 2000mm
EXTERNAL DIMENSIONS	3192 x 2192 x 2318mm
NOMINAL CAPACITY	8000 Litres
INSULATION THICKNESS	25mm
MATERIAL	GRP

TANKS DIRECT

SCALE:1:40 SHEET 2 OF 2